

CERTIFICATE OF COMPLIANCE

Certificate Number 20180331-R25568
Report Reference R25568-20141223
Issue Date 2018-MARCH-31

Issued to: NATIONAL GUARD PRODUCTS INC
4985 E RAINES RD
MEMPHIS TN 38118-7024

**This is to certify that
representative samples of**

MISCELLANEOUS FIRE DOOR ACCESSORIES;
MISCELLANEOUS FIRE DOOR ACCESSORIES,
POSITIVE-PRESSURE TESTED

NGP-Edge® Sealing System, Model 9200, self-adhesive
intumescent seal and Model 9275/9225, Strike shims rated
up to and including 20 minutes. May include additional
suffix letters: DKB

NGP-Edge® Sealing System, Model 9400, 9945, 5075,
SS306, and Model 9275/9225, Strike shims rated up to and
including 3/4 hour. May include additional suffix letters: B,
CL, DKB.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 10C Positive Pressure of Fire Tests of Door
Assemblies
ANSI/UL 10B Fire Tests of Door Assemblies

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180331-R25568
Report Reference R25568-20141223
Issue Date 2018-MARCH-31

Issued to: NATIONAL GUARD PRODUCTS INC
4985 E RAINES RD
MEMPHIS TN 38118-7024


This is to certify that representative samples of MISCELLANEOUS FIRE DOOR ACCESSORIES;
MISCELLANEOUS FIRE DOOR ACCESSORIES,
POSITIVE-PRESSURE TESTED
SEE ADDENDUM PAGE

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CAN/ULC-S104 Standard Method for Fire Tests of Door Assemblies


Additional Information: See the ULC Online Certification Directory at www.ulc.ca for additional information

Only those products bearing the ULC Listing Mark should be considered as being covered by ULC's Listing and Follow-Up Service.

The ULC Listing Mark generally includes the following elements: the symbol ULC in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by ULC; and the product category name (product identifier) as indicated in the appropriate ULC Directory.

To confirm the status, validate the above information via the online directory.

Look for the ULC Listing Mark on the product.



Joseph Hasey, General Manager, Director of Sales - Canada

UNDERWRITERS LABORATORIES OF CANADA INC.

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized licensee of ULC. For questions, please contact a local ULC Customer Service Representative at <http://info.ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180331-R25568
Report Reference R25568-20141223
Issue Date 2018-MARCH-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current ULC requirements.

NGP-Edge® Sealing System, Model 9200, self-adhesive intumescent seal and Model 9275/9225, Strike shims rated up to and including 20 minutes. May include additional suffix letters: DKB

NGP-Edge® Sealing System, Model 9400, 9945, 5075, SS306, and Model 9275/9225, Strike shims rated up to and including 3/4 hour. May include additional suffix letters: B, CL, DKB.



Joseph Hosey, General Manager, Director of Sales - Canada

UNDERWRITERS LABORATORIES OF CANADA INC.

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized licensee of ULC. For questions, please contact a local ULC Customer Service Representative at <http://ul.com/about/locations/>

