SLIDING

ALUMINUM & STAINLESS
SLIDING DOOR HARDWARE

NGP-CAT-SLH-1126-A

SLIDING DOOR HARDWARE INDEX

Page

Aluminum

Bi-Fold Sliding Door Hardware SL4, SL5
Bi-Parting Sliding Door Hardware SL8, SL10, SL11, SL12
By-Pass Sliding Door Hardware SL2, SL3, SL6, SL7
Side Wall Mount Sliding Door Hardware SL8, SL9
Pocket Door Hardware SL10
Pocket Door Hardware Frame Kit SL11, SL12

Stainless Steel

Barn Door Hardware — Side Mount SL14
Barn Door Hardware — Top Mount SL13
Flat Track — Side Mount SL16
Flat Track — Top Mount SL15

Accessories

Drywall Spacers SL20
Pocket Door Kit-7'-9' Extension Kit SL21
Sliding Door Hardware Accessories SL17-SL23
Sliding Door Hardware Adapter Kit SL22
Sliding Door Hardware Converging Kit SL23
Soft-Close for Aluminum Sliding Door Hardware SL19

NUMERICAL INDEX

SC SL19
SC-LITE SL19
SCBY SL19
SCBY-LITE SL19
SL-BCG SL17
SL-RD SL8
SL-BLFT-DWS SL20
SL-BLFT1-6 ..... SL15
SL-BLFT1-6-SC SL15
SL-BLFT1-8 ..... SL15
SL-BLFT1-8-SC SL15
SL-BLFT2-6 ..... SL16
SL-BLFT2-6-SC SL16
SL-BLFT2-8 ..... SL16
SL-BLFT2-8-SC SL16
SL-SNFT-DWS SL20
SL-SNFT1-6 ..... SL15
SL-SNFT1-6-SC SL15
SL-SNFT1-8 ..... SL15
SL-SNFT1-8-SC SL15
SL-SNFT2-6 ..... SL16
SL-SNFT2-6-SC SL16
SL-SNFT2-8 ..... SL16
SL-SNFT2-8-SC SL16
SL-SQ18 ..... SL8
SL-SQ20 ..... SL6, SL10
SL-SQ22 ..... SL9
SL-SQ24 ..... SL9
SL-WG SL17
SLAL-CNVG-KIT SL22
SLAL EXT KIT SL21
SLAL EXT KIT 48"DR SL21
SLAL-134-KIT SL22
SLAL-75-BF2DR SL4
SLAL-75-BF4DR SL4
SLAL-75-BP SL2
SLAL-75-BPF SL3
SLAL-125-BF2DR SL5
SLAL-125-BF4DR SL5
SLAL-250-BP-2DR SL6
SLAL-250-BP-4DR SL6
SLAL-250-BPF-2DR SL7
SLAL-250-BPF-4DR SL7
SLAL-250-PD SL10
SLAL-250-PDKIT SL11
SLAL-250-PDKIT-EXT SL12
SLAL-250-PDKT-EXT-48 ..... SL12
SLAL-250-PDKIT-48"DR SL11
SLAL-250-PDKIT-6 ..... SL11
SLAL-250-PDKIT-6-48" SL11
SLAL-250-PDKIT-6-EXT SL12
SLAL-250-PDK-6-EXT48" SL12
SLAL-250-PDKIT-6M SL11
SLAL-250-PDKT-6M-48" SL11
SLAL-250-PDKT-6M-EXT SL12
SLAL-250-PK-6M-EXT48 ..... SL12
SLAL-250-SW SL8
SLAL-250-SWLP SL9
SLSS-FG SL17
SLSS-DWS-6 ..... SL20
SLSS-DWS-8 ..... SL20
SLSS1-6 ..... SL13
SLSS1-6-SC SL13
SLSS1-8 ..... SL13
SLSS1-8-SC SL13
SLSS2-6 ..... SL14
SLSS2-6-SC SL14
SLSS2-8 ..... SL14
SLSS2-8-SC SL14
SWBP-BRKT SL18
SWPD-LPBRKT SL18

RATING SYMBOLS LEGEND

ANSI/BHMA CERTIFIED. Certified sliding door hardware complies with American National Standard for Sliding and Folding Door Hardware ANSI/BHMA A156.14, and is listed in the BHMA Certified Products Directory.

BY-PASS

SIDE MOUNT TRACK SYSTEM

- Designed for Multi-Family Applications
- Up to 1⅜" Doors
- For Sliding Doors up to 75 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty

SKU	TRACK LENGTH
SLAL-75-BP-48	46½"
SLAL-75-BP-60	58½"
SLAL-75-BP-72	70½"
SLAL-75-BP-96	94½"



DOOR THICKNESS	¾"	1⅜"
DIMENSION A	0"	⅞"
DIMENSION B	2¾"	4"

Complete Kits Include:

(1) Track
(1) Floor Guide With Steel Bracket
(2) Front Hangers
(2) Back Hangers
(2) Brass Pulls
(2) Chrome Pulls

ALUMINUM: MULTI-FAMILY

BY-PASS WITH FASCIA

SIDE MOUNT TRACK SYSTEM

- Designed for Multi-Family Applications
- Up to 1⅜" Doors
- For Sliding Doors up to 75 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty

SKU	TRACK LENGTH
SLAL-75-BPF-48	48"
SLAL-75-BPF-60	60"
SLAL-75-BPF-72	72"
SLAL-75-BPF-96	96"

Complete Kits Include:

(1) Track
(1) Floor Guide With Steel Bracket
(2) Front Hangers
(2) Back Hangers
(2) Brass Pulls
(2) Chrome Pulls





BI-FOLD

TOP MOUNT TRACK SYSTEM

- Designed for Multi-Family Applications
- 1⅜" To 1¾" Doors
- For Folding Doors up to 24" Wide and up to 75 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty

TWO-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-75-BF2DR-36	36"
SLAL-75-BF2DR-48	48"

Two-Door Complete Kits Include:

- (1) Track
- (1) Top Pivot
- (1) Bottom Pivot
- (1) Roller
- (1) Snugger
- (1) Aligner
- (1) Wood Knob
- (4) Brass Hinges
- (4) Chrome Hinges

FOUR-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-75-BF4DR-60	60"
SLAL-75-BF4DR-72	72"
SLAL-75-BF4DR-96	96"

Four-Door Complete Kits Include:

- (1) Track
- (2) Top Pivots
- (2) Bottom Pivots
- (2) Rollers
- (2) Snuggers
- (2) Aligners
- (2) Wood Knobs
- (8) Brass Hinges
- (8) Chrome Hinges



BI-FOLD



TOP MOUNT TRACK SYSTEM

- For Use with 1⅜" To 1¾" Thick Doors
- For Folding Doors up to 36" Wide and up to 125 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty

TWO-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-125-BF2DR-48	48"
SLAL-125-BF2DR-60	60"
SLAL-125-BF2DR-72	72"

Two-Door Complete Kits Include:

(1) Track
(1) Top Pivot
(1) Bottom Pivot
(1) Roller
(1) Snugger
(1) Aligner
(1) Wood Knob
(3) Chrome Hinges

FOUR-DOOR SYSTEMS



SKU	TRACK LENGTH
SLAL-125-BF4DR-48	48"
SLAL-125-BF4DR-60	60"
SLAL-125-BF4DR-72	72"
SLAL-125-BF4DR-96	96"
SLAL-125-BF4DR-144	2 at 72"

Four-Door Complete Kits Include:

(1) Track
(2) Top Pivots
(2) Bottom Pivots
(2) Rollers
(2) Snuggers
(2) Aligners
(2) Wood Knobs
(6) Chrome Hinges



BY-PASS

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft-Close Feature
- Hangers With Heavy-Duty Ball Bearing Wheels
- Meets ADA Push Force Requirements
- 5-Year Warranty

TWO-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-250-BP-2DR-48	48"
SLAL-250-BP-2DR-60	60"
SLAL-250-BP-2DR-72	72"
SLAL-250-BP-2DR-96	96"
SLAL-250-BP-2DR-144	144"

Complete Kits Include:

(1) Track – Mill Finish
(2) Universal Hardware Packs,
Each Consists Of:
(2) Ball Bearing Heavy-Duty Hangers
(2) Snap-In Door Brackets
(2) In-Track Stops
(1) Angle Stop
(1) Bumper Stop
(1) Door Guide
Heavy-Duty Floor Guides

FOUR-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-250-BP-4DR-48	48"
SLAL-250-BP-4DR-60	60"
SLAL-250-BP-4DR-72	72"
SLAL-250-BP-4DR-96	96"
SLAL-250-BP-4DR-144	144"

Complete Kits Include:

(1) Track – Mill Finish
(4) Universal Hardware Packs,
Each Consists Of:
(2) Ball Bearing Heavy-Duty Hangers
(2) Snap-In Door Brackets
(2) In-Track Stops
(1) Angle Stop
(1) Bumper Stop
(1) Door Guide
Heavy-Duty Floor Guides





SL-SQ20

OPTIONS:

- Soft-Close / Open – Specify "SCBY"
  For Both Directions Order (2) Sets "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SCBY-LITE"
  Both Directions Order (2) "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Snap-On Fascia "SL-SQ20" – Clear Anodized – *Shown Above*
- Sidewall Mount Brackets "SWBP-BRKT" (Page SL18)

BY-PASS WITH FASCIA

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft-Close Feature
- Hangers With Heavy-Duty Ball Bearing Wheels
- Meets ADA Push Force Requirements
- 5-Year Warranty

TWO-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-250-BPF-2DR-48	48"
SLAL-250-BPF-2DR-60	60"
SLAL-250-BPF-2DR-72	72"
SLAL-250-BPF-2DR-96	96"
SLAL-250-BPF-2DR-144	144"

Complete Kits Include:

(1) Track – Mill Finish
(2) Universal Hardware Packs,
Each Consists Of:
(2) Ball Bearing Heavy-Duty Hangers
(2) Snap-In Door Brackets
(2) In-Track Stops
(1) Angle Stop
(1) Bumper Stop
(1) Door Guide
Heavy-Duty Floor Guides

FOUR-DOOR SYSTEMS

SKU	TRACK LENGTH
SLAL-250-BPF-4DR-48	48"
SLAL-250-BPF-4DR-60	60"
SLAL-250-BPF-4DR-72	72"
SLAL-250-BPF-4DR-96	96"
SLAL-250-BPF-4DR-144	144"

Complete Kits Include:

(1) Track – Mill Finish
(4) Universal Hardware Packs,
Each Consists Of:
(2) Ball Bearing Heavy-Duty Hangers
(2) Snap-In Door Brackets
(2) In-Track Stops
(1) Angle Stop
(1) Bumper Stop
(1) Door Guide
Heavy-Duty Floor Guides



OPTIONS:

- Soft-Close / Open – Specify "SCBY"
  For Both Directions Order (2) Sets "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SCBY-LITE"
  Both Directions Order (2) "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Sidewall Mount Brackets "SWBP-BRKT" (Page SL18)

SIDE WALL MOUNT

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft-Close Feature
- Hangers With Heavy-Duty Ball Bearing Wheels
- ⅜" Clearance Between Wall and Door on 1¾" Thick Doors
- Meets ADA Push Force Requirements
- 5-Year Warranty

SKU	TRACK LENGTH
SLAL-250-SW-48	48"
SLAL-250-SW-60	60"
SLAL-250-SW-72	72"
SLAL-250-SW-96	96"
SLAL-250-SW-144	144"

Complete Kits Include:

(1) Track – Mill Finish
(1) Universal Hardware Pack,
Consists Of:
(2) Ball Bearing Heavy-Duty Hangers
(2) Snap-In Door Brackets
(2) In-Track Stops
(1) Angle Stop
(1) Bumper Stop
(1) Door Guide
Heavy-Duty Floor Guides

OPTIONS:

- Soft-Close / Open – Specify "SC"
  For Both Directions Order "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SC-LITE"
  For Both Directions Order "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Wall Mounted Guide "SL-WG" – included in Universal Hardware Pack (Page SL17)
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Snap-On Fascia "SL-RD, SL-SQ18" - Clear Anodized – *Shown Right*







SL-RD

Includes End Caps



SL-SQ18

SIDE WALL MOUNT LOW PROFILE

BHMA CERTIFIED

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- Hangers With Heavy-Duty Ball Bearing Wheels
- ⅜" Clearance Between Wall and Door on 1¾" Thick Doors
- Meets ADA Push Force Requirements
- 5-Year Warranty

SKU	TRACK LENGTH
SLAL-250-SWLP-60	60"
SLAL-250-SWLP-72	72"
SLAL-250-SWLP-96	96"
SLAL-250-SWLP-144	144"

Complete Kits Include:

(1) Track – Clear Anodized Aluminum
(1) Universal Hardware Pack,
Consists Of:
(2) Ball Bearing Heavy-Duty Hangers
(2) Snap-In Door Brackets
(2) In-Track Stops
(1) Angle Stop
(1) Bumper Stop
(1) Door Guide
Heavy-Duty Floor Guides

OPTIONS:

- Soft-Close / Open – Specify "SC"
  For Both Directions Order "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SC-LITE"
  For Both Directions Order "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Wall Mounted Guide "SL-WG" – included in Universal Hardware Pack (Page SL17)
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Snap-On Fascia *Shown Right*. End Caps Included with Fascia. SL-SQ22 Clear Anodized Fascia and SL-SQ24 Mill Finished Fascia with Holes for Mounting Wooden Valance by Others.







SL-SQ22



SL-SQ24

POCKET DOOR

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft-Close Feature
- Hangers With Heavy-Duty Ball Bearing Wheels
- Meets ADA Push Force Requirements
- 5-Year Warranty

SKU	TRACK LENGTH
SLAL-250-PD-48	48"
SLAL-250-PD-60	60"
SLAL-250-PD-72	72"
SLAL-250-PD-96	96"
SLAL-250-PD-144	144"

Order Two Sets for Bi-Parting Applications

Complete Kits Include:

(1) Track – Mill Finish
(1) Universal Hardware Pack, Consists Of:
- (2) Heavy-Duty Ball Bearing Hangers
- (2) Snap-In Door Brackets
- (2) In-Track Stops
- (1) Angle Stop
- (1) Bumper Stop
- (1) Door Guide

Heavy-Duty Floor Guides







OPTIONS:

- Soft-Close / Open – Specify "SC"
  For Both Directions Order "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SC-LITE"
  For Both Directions Order "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Wall Mounted Guide "SL-WG" (Page SL17)
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Snap-On Fascia "SL-SQ20" – Clear Anodized – *Shown Right*

POCKET DOOR FRAME KIT

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft-Close Feature
- Hangers With Heavy-Duty Ball Bearing Wheels
- Meets ADA Push Force Requirements
- 5-Year Warranty
- Patent Pending

SKU	APPLICATION	FOR UP TO:
SLAL-250-PDKIT	4" Wood or Metal Stud	3/0 x 7/0
SLAL-250-PDKIT-48"DR	4" Wood or Metal Stud	4/0 x 7/0
SLAL-250-PDKIT-6	6" Wood Stud (5½" Header)	3/0 x 7/0
SLAL-250-PDKIT-6-48"	6" Wood Stud (5½" Header)	4/0 x 7/0
SLAL-250-PDKIT-6M	6" Metal Stud (6" Header)	3/0 x 7/0
SLAL-250-PDKT-6M-48"	6" Metal Stud (6" Header)	4/0 x 7/0

Order Two Sets for Bi-Parting Applications

Complete Kits Include:

(1) Header Track Assembly
(1) Universal Hardware Pack, Consists Of:
- (2) Ball Bearing Heavy-Duty Hangers
- (2) Snap-In Door Brackets
- (2) In-Track Stops
- (1) Angle Stop
- (1) Bumper Stop
- (1) Door Guide
- (1) 1¾" Thick Door Adaptor Kit Included in 2x4 Stud Wall Kits

Heavy-Duty Floor Guides
(1) Pocket Frame Kit
Jamb Stiffeners
- (4) 36" Openings
- (6) 48" Openings

Floor Brackets
- (2) 36" Openings
- (3) 48" Openings

(1) End Bracket





OPTIONS:

- Soft-Close / Open – Specify "SC"
  For Both Directions Order "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SC-LITE"
  For Both Directions Order "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Wall Mounted Bottom Guide "SL-WG"
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Converging Kit Used to Join Headers in Bi-Parting Openings "SLAL-CNVG-KIT"

POCKET FRAME KIT UP TO 9/0 DOORS

BHMA CERTIFIED

TOP MOUNT TRACK SYSTEM

- Commercial Grade for 1⅜" To 1¾" Doors
- For Sliding Doors up to 250 lbs. Each
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft-Close Feature
- Hangers With Heavy-Duty Ball Bearing Wheels
- Meets ADA Push Force Requirements
- 5-Year Warranty
- Patent Pending

SKU	APPLICATION	FOR UP TO:
SLAL-250-PDKIT-EXT	4" Wood or Metal Stud	3/0 x 9/0
SLAL-250-PDKT-EXT-48	4" Wood or Metal Stud	4/0 x 9/0
SLAL-250-PDKIT-6-EXT	6" Wood Stud (5½" Header)	3/0 x 9/0
SLAL-250-PDK-6-EXT48"	6" Wood Stud (5½" Header)	4/0 x 9/0
SLAL-250-PDKT-6M-EXT	6" Metal Stud (6" Header)	3/0 x 9/0
SLAL-250-PK-6M-EXT48	6" Metal Stud (6" Header)	4/0 x 9/0

Order Two Sets for Bi-Parting Applications

Complete Kits Include:

(1) Header Track Assembly
(1) Universal Hardware Pack, Consists Of:
- (2) Ball Bearing Heavy-Duty Hangers
- (2) Snap-In Door Brackets
- (2) In-Track Stops
- (1) Angle Stop
- (1) Bumper Stop
- (1) Door Guide
- (1) 1¾" Thick Door Adaptor Kit Included in 2x4 Stud Wall Kits

Heavy-Duty Floor Guides
(1) Pocket Frame Kit
Jamb Stiffeners
- (4) 36" Openings
- (6) 48" Openings

(4) Jamb Stiffener Extensions
(4) Jamb Splice Brackets
Floor Brackets
- (2) 36" Openings
- (3) 48" Openings

(1) End Bracket



OPTIONS:

- Soft-Close / Open – Specify "SC"
  For Both Directions Order "SCBY" for Doors 120 lbs.-150 lbs. Each
- Light-Duty Soft-Close / Open - Specify "SC-LITE"
  For Both Directions Order "SCBY-LITE" for Doors 65 lbs.-115 lbs. Each
- Wall Mounted Bottom Guide "SL-WG"
- Bottom Channel Guide "SL-BCG" (Page SL17)
- Converging Kit Used to Join Headers in Bi-Parting Openings "SLAL-CNVG-KIT"

STAINLESS STEEL

BARN DOOR TOP MOUNT

- Fits 1" To 2" Thick Door Panel
- Brushed Stainless Steel 304
- Side Wall Mount
- Nylon Coated Stainless Steel Wheels for Smooth Operation
- For Sliding Doors up to 220 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty
- Order Two Sets for Bi-Parting Applications

STAINLESS STEEL TOP MOUNT ROUND TRACK SYSTEM

SKU	TRACK LENGTH
SLSS1-6	78 3/4"
SLSS1-8	98 7/16"

Complete Kits Include:

(1) Track
(2) Hangers
(2) Door Stops
(1) Floor Guide

SLSS1-6 includes: (5) Wall Attachments
SLSS1-8 includes: (6) Wall Attachments



STAINLESS STEEL TOP MOUNT ROUND TRACK SYSTEM (WITH SOFT-CLOSE)

SKU	TRACK LENGTH
SLSS1-6-SC*	78 3/4"
SLSS1-8-SC*	98 7/16"

* Soft-Close / Open Hardware is Included for Both Directions in Addition to the SLSS1-6 and SLSS1-8 Complete Kit Contents



STAINLESS STEEL

BARN DOOR SIDE MOUNT

- Fits 1¾" Thick Door Panel
- Brushed Stainless Steel 304
- Side Wall Mount
- Nylon Coated Stainless Steel Wheels for Smooth Operation
- For Sliding Doors up to 220 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty
- Order Two Sets for Bi-Parting Applications

STAINLESS STEEL SIDE MOUNT ROUND TRACK SYSTEM

SKU	TRACK LENGTH
SLSS2-6	78 ¾"
SLSS2-8	98 7/16"

Complete Kits Include:

(1) Track
(2) Door Stops
(2) Hangers
(1) Floor Guide

SLSS2-6 includes: (5) Wall Attachments
SLSS2-8 includes: (6) Wall Attachments



STAINLESS STEEL SIDE MOUNT ROUND TRACK SYSTEM (WITH SOFT-CLOSE)

SKU	TRACK LENGTH
SLSS2-6-SC*	78 ¾"
SLSS2-8-SC*	98 7/16"

* Soft-Close / Open Hardware is Included for Both Directions in Addition to the SLSS1-6 and SLSS1-8 Complete Kit Contents



BARN DOOR TOP MOUNT

- Fits 1" To 2" Thick Door Panel
- Satin Nickel Electroplated Steel "SN"
  Black Powder Coated Steel "BL"
- Side Wall Mounted Track
- Solid Nylon Wheels for Smooth Operation
- Standard Kits for Sliding Doors up to 220 lbs. Each. Kits with Soft-Close for Sliding Doors up to 176 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty
- Order Two Sets for Bi-Parting Applications

FLAT TRACK TOP MOUNT HANGER SYSTEM

SKU	FINISH	TRACK LENGTH
SL-SNFT1-6	SATIN NICKEL	72"
SL-SNFT1-8	SATIN NICKEL	96"
SL-BLFT1-6	BLACK POWDER COAT	72"
SL-BLFT1-8	BLACK POWDER COAT	96"

Complete Kits Include:

(1) Track
(2) Hangers
(2) Door Stops
(1) Floor Guide

6' Kit includes: (5) Wall Attachments
8' Kit includes: (6) Wall Attachments

FLAT TRACK TOP MOUNT HANGER SYSTEM (WITH SOFT-CLOSE)

SKU	FINISH	TRACK LENGTH
SL-SNFT1-6-SC	SATIN NICKEL	72"
SL-SNFT1-8-SC	SATIN NICKEL	96"
SL-BLFT1-6-SC	BLACK POWDER COAT	72"
SL-BLFT1-8-SC	BLACK POWDER COAT	96"

* Soft-Close / Open Hardware is Included for Both Directions in Addition to the 6' and 8' Complete Kit Contents



OPTIONS:

- "SL-SNFT-DWS" Satin Nickel Drywall Spacers for 6' and 8' Tracks
- "SL-BLFT-DWS" Black Drywall Spacers for 6' and 8' Tracks
- "SL-BCG" Bottom Channel Guide
- Net Cut to Length on Black Powder Coated Finish Only
- "SL-SNFT-CP" and "SL-BLFT-CP" Track Coupler for Joining Two Tracks Together

STEEL: FLAT TRACK

BARN DOOR SIDE MOUNT

- Fits 1⅜" To 1¾" Thick Door Panel
- Satin Nickel Electroplated Steel "SN"
  Black Powder Coated Steel "BL"
- Side Wall Mounted Track
- Solid Nylon Wheels for Smooth Operation
- Standard Kits for Sliding Doors up to 220 lbs. Each. Kits with Soft-Close for Sliding Doors up to 176 lbs. Each
- Meets ADA Push Force Requirements
- 5-Year Warranty
- Order Two Sets for Bi-Parting Applications

FLAT TRACK SIDE MOUNT HANGER SYSTEM

SKU	FINISH	TRACK LENGTH
SL-SNFT2-6	SATIN NICKEL	72"
SL-SNFT2-8	SATIN NICKEL	96"
SL-BLFT2-6	BLACK POWDER COAT	72"
SL-BLFT2-8	BLACK POWDER COAT	96"

Complete Kits Include:

(1) Track
(2) Door Stops
(2) Hangers
(1) Floor Guide

6' Kit includes: (5) Wall Attachments
8' Kit includes: (6) Wall Attachments

FLAT TRACK SIDE MOUNT HANGER SYSTEM (WITH SOFT-CLOSE)

SKU	FINISH	TRACK LENGTH
SL-SNFT2-6-SC	SATIN NICKEL	72"
SL-SNFT2-8-SC	SATIN NICKEL	96"
SL-BLFT2-6-SC	BLACK POWDER COAT	72"
SL-BLFT2-8-SC	BLACK POWDER COAT	96"

* Soft-Close / Open Hardware is Included for Both Directions in Addition to the 6' and 8' Complete Kit Contents



OPTIONS:

- "SL-SNFT-DWS" Satin Nickel Drywall Spacers for 6' and 8' Tracks
- "SL-BLFT-DWS" Black Drywall Spacers for 6' and 8' Tracks
- "SL-BCG" Bottom Channel Guide
- Net Cut to Length on Black Powder Coated Finish Only
- "SL-SNFT-CP" and "SL-BLFT-CP" Track Coupler for Joining Two Tracks Together

ACCESSORIES

FLOOR GUIDE

- Furnished Standard With Stainless Steel and Commercial Grade Aluminum Sliding Door Hardware Sets

SKU	MATERIAL/FINISH
SLSS-FG	Black Nylon



WALL MOUNTED GUIDE

SKU	MATERIAL/FINISH
SL-WG	Black Nylon Floor Guide on Steel Bracket Dark Bronze Powder Coat #8-18 x 1-1/4" Truss Head Self-Tapping Screws



BOTTOM CHANNEL GUIDE

SKU	MATERIAL/LENGTH/COLOR
SL-BCG	Polypropylene 60" Dark Brown



END VIEW

ACCESSORIES

SIDEWALL MOUNT BY-PASS BRACKET

SKU	MATERIAL/LENGTH/COLOR
SWBP-BRKT	3⁄16" Steel Gray Finish

Use 3" From Each End and Not More Than 24" on Center



Fasteners Not Furnished

SIDEWALL MOUNT LOW-PROFILE BRACKET

SKU	MATERIAL/LENGTH/COLOR
SWPD-LPBRKT	1 5⁄8" Mill Finish Aluminum

Use 3" From Each End and Not More Than 24" on Center



ACCESSORIES

FOR ALUMINUM SLIDING DOOR HARDWARE

SOFT-CLOSE OPTIONS

SC

For Single Sliding Aluminum Hardware Sets with Doors 120 lbs. – 150 lbs. Each



- Designed for Doors 120 lbs. – 150 lbs. Each
- Minimum Door Width When Using One Soft-Close Device on a Single Door is 16"
- Minimum Door Width When Using Two Soft-Close Devices for Soft-Close Both Directions on a Single Door is 31"
- Slows Travel of the Door to Softly Close
- Soft-Close for Single Sliding Aluminum Hardware Sets
- For Both Directions Order “SCBY”

Ordering Info

SC	Single
SCBY	Set of Two

SC-LITE

For Single Sliding Aluminum Hardware Sets with Doors 65 lbs. – 115 lbs. Each



- Designed for Doors 65 lbs. – 115 lbs. Each
- Minimum Door Width When Using One Soft-Close Device on a Single Door is 12.5"
- Minimum Door Width When Using Two Soft-Close Devices for Soft-Close Both Directions on a Single Door is 25"
- Slows Travel of the Door to Softly Close
- For By-Pass and Bi-Parting Sliding Aluminum Hardware Sets. For Both Directions Order (2) Sets “SCBY-LITE”
- For Soft-Close Both Directions on Sidewall and Pocket Door Applications

Ordering Info

SC-LITE	Single
SCBY-LITE	Set of Two



ACCESSORIES

DRYWALL SPACER FOR USE WITH SLSS1 AND SLSS2 KITS

- Spacer Kits Include Two Sizes of Spacers Allowing Installation Directly to the Blocking Behind the Drywall

SKU	# OF SPACERS/TRACK LENGTH
SLSS-DWS-6	5 Total Spacers/6' Track
SLSS-DWS-8	6 Total Spacers/8' Track





DRYWALL SPACER FOR USE WITH FLAT TRACK HARDWARE

- Spacer Kits Include Two Sizes of Spacers (½" and ⅝") Allowing Installation Directly to the Blocking Behind the Drywall

SKU	DESCRIPTION
SL-BLFT-DWS	Black Drywall Spacer Kit. Works with 6' and 8' Track Lengths
SL-SNFT-DWS	Satin Nickel Drywall Spacer Kit. Works with 6' and 8' Track Lengths



ACCESSORIES

POCKET DOOR KIT-7'-9' EXTENSION KIT

SLAL EXT KIT, SLAL EXT KIT 48"DR

- Pocket Door Frame Extension Kits Include:
  - SLAL EXT KIT: (4) Wood Frame Extensions, (4) Aluminum Frame Extensions
  - SLAL EXT KIT 48”DR: (6) Wood Frame Extensions, (6) Aluminum Frame Extensions
- Allows Standard PDKIT to be Extended for Use on Door Opening Heights up to 9'



ACCESSORIES

ADAPTER KIT

- Used When Installing 1¾" Thick Doors With SLAL-250-PDKIT, SLAL-250-PDKIT-EXT, SLAL-250-PDKIT-48"DR and SLAL-250-PDKT-EXT-48.
- Includes 4 Upper Spacers and 2 Floor Brackets to Accommodate 1¾" Thick Doors
- SLAL-250-PDKIT-48"DR and SLAL-250-PDKT-EXT-48 Come With 6 Split Studs. SLAL-134-KIT Comes With 4 Spacers and 2 Floor Plates. Be Sure to Order Enough SLAL-134-KIT for 6 Split Studs per Opening.

SKU	MATERIAL/FINISH
SLAL-134-KIT	Nylon Spacers / Zinc Coated Steel Floor Plates





ACCESSORIES

CONVERGING KIT

- Used When Joining Two PDKIT Headers Together for a Bi-Parting Pocket Opening
- Includes 2 Mounting Plates, 2 Pan Head Screws and 1 Lag Bolt

SKU	MATERIAL/FINISH
SLAL-CNVG-KIT	Zinc Coated Steel





NOTES

NOTES

NOTES

For the most up-to-date Sliding Door Hardware Catalog scan the QR code or visit ngp.com.

ngp.com
1-800-NGP-RUSH

FAX: (800) 255-7874
QUOTES: quotes@ngp.com
ORDERS: orders@ngp.com

NGP MEMPHIS
4985 East Raines Road
Memphis, TN 38118

CARSON CITY
3689 Arrowhead Drive
Carson City, NV 89706

NGP-CAT-SLH-1126-A